


ALPHA PROFILE 1500


Legenda Diameter 10%-50%: valori del diametro del fascio luminoso corrispondenti al 10% e 50% dell'illuminamento massimo.
Key Diameter 10%-50%: beam diameter for 10% and 50% of maximum illumination.
Légende Diameter 10%-50%: valeurs du diamètre du faisceau lumineux correspondant à 10% et 50% de l'éclairage maximum.
Legende Diameter 10%-50%: Lichtkreis-Durchmesser bei 10% bzw. 50% maximaler Ausleuchtung.
Leyenda Diameter 10%-50%: valores del diámetro del haz luminoso correspondientes al 10% y 50% de la iluminación máxima.

FULL POWER MODE (1500W)


Minimum Zoom (9,5°) - 1500 W




Minimum Zoom with Light Frost (11,2°) - 1500 W




Minimum Zoom with Heavy Frost (7,1° 50% - 12,3° 10%) - 1500 W




Maximum Zoom (59,9°) - 1500 W




Maximum Zoom with Light Frost (59,9°) - 1500 W




Maximum Zoom with Heavy Frost (42,0° 50% - 66,2° 10%) - 1500 W




Minimum Zoom in extra-run (6,9°) - 1500 W



Minimum Zoom in extra-run with Light Frost (8,5°) - 1500 W




Minimum Zoom in extra-run with Heavy Frost (5,3° 50% - 9,6° 10%) - 1500 W




1200W POWER MODE


Minimum Zoom (9,5°) - 1200 W




Minimum Zoom with Light Frost (11,2°) - 1200 W




Minimum Zoom with Heavy Frost (7,8° 50% - 13,0° 10%) - 1200 W




Maximum Zoom (59,9°) - 1200 W




Maximum Zoom with Light Frost (59,9°) - 1200 W




Maximum Zoom with Heavy Frost (42,0° 50% - 67,1° 10%) - 1200 W



Minimum Zoom in extra-run (6,9°) - 1200 W



Minimum Zoom in extra-run with Light Frost (8,5°) - 1200 W



Minimum Zoom in extra-run with Heavy Frost (5,2° 50% - 9,2° 10%) - 1200 W

